



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006621898

Filing Deadline: January 15, 2015

FRN: 0005040522

Filing Date: 01/15/2015 07:12 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: Telscape Communications, Inc.  
Brand Names: Surelink Mobile  
PO Box:  
Street Address: 10440 N. Central Expressway, Suite 700  
City: Dallas  
State: TX  
Zip Code: 75231

Contact Name: Melanie King  
Contact Phone: (214) 495-4831  
Contact Fax:  
Contact Email: mking@sagetelecom.net

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: New, un-used handsets are delivered to customers in OEM packaging, HAC labeling as required by the rules, as well as the original manufacturer's user guide, which includes information regarding the handset's HAC rating and tips to avoid RF interference. Refurbished and used phones are not kitted in original manufacturer

packaging and therefore do not include HAC labeling. HAC information for refurbished, used, and/or reconditioned phones is provided on the Company's website.

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?  
No

Explain: New, un-used handsets are delivered to customers in OEM packaging, HAC labeling as required by the rules, as well as the original manufacturer's user guide, which includes information regarding the handset's HAC rating and tips to avoid RF interference. Refurbished and used phones are not kitted in original manufacturer packaging and therefore do not include HAC labeling. HAC information for refurbished, used, and/or reconditioned phones is provided on the Company's website.

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.telscape.com](http://www.telscape.com); [surelinkmobile.com](http://surelinkmobile.com)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: The Company engages in customer outreach and advertises the availability of its services throughout its service area using media of general distribution in a manner reasonably designed to reach those likely to subscribe to its service. In addition, the Company takes a hands on approach to customer outreach in that it engages local representatives in the community that hold neighborhood and community events educating consumers about its products and services. These local events afford consumers with an opportunity to ask questions and/or sign up for service. Our neighborhood outreach efforts are supplemented with a network of brick and mortar stores to which customers can return should they have questions or need assistance.

### Methodology for Functionality Levels

Advanced: Complex Smartphone type operating systems e.g., Android, Apple, and RIM/Blackberry.

Middle: Voice capable messaging phones such as QWERTY keyboards, enhanced browsers such as those that support HTML and High Performance Push-To-Talk with high data speeds.

Basic: Feature phones that support text messaging where alphanumeric text entry may require triple tapping. Simple web-browsing capability and other data services are typically supported.

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 72

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent		Total by Air Interface
GSM					2	100%	2
CDMA	50	70%	9	13%	12	17%	71
WCDMA	2	67%	1	33%			3
LTE	4	80%	1	20%			5
WiMax	2	100%					2
AMPS	6	50%			6	50%	12

## Handset 1: Alcatel Venture

### Handset Maker

Alcatel

### Handset Model Name

Venture

### FCC ID

RAD209, RAD210

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Dates

This handset model was offered from: 04/14 to 11/14

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Advanced

### Remarks

## Handset 2: HTC 6800

### Handset Maker

HTC

### Handset Model Name

### FCC ID

6800	NM8TITA100
Mogul	NM8TITA100
P4000	NM8TITA100
PPC-6800	NM8TITA100
XV6800	NM8TITA100

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 11/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Advanced

### Remarks

## Handset 3: HTC Evo 4G

### Handset Maker

HTC

### Handset Model Name

### FCC ID

Evo 4G	NM8PG06100
EVO Shift 4G	NM8PG06100

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA  
2.5 GHz WiMax

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 4: HTC HERO200

#### Handset Maker

HTC

#### Handset Model Name

HERO200

#### FCC ID

NM8HERO200

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 10/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 5: HTC HTC 510

#### Handset Maker

HTC

#### Handset Model Name

HTC 510

#### FCC ID

NM80PCV100

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
850 MHz CDMA  
850 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE  
2.5 GHz LTE

**Dates**

This handset model was offered from: 09/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Advanced

**Remarks**

---

**Handset 6: HTC One 4G****Handset Maker**

HTC

**Handset Model Name****FCC ID**

One 4G

NM80P6B210, NM80P6B200

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz WCDMA  
900 MHz WCDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
750 MHz LTE

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 7: Kyocera KX1 (SOHO)

#### Handset Maker

Kyocera

#### Handset Model Name

KX1 (SOHO)

#### FCC ID

OVFKWC-KX1

#### Air Interfaces/Frequency Bands

850 MHz CDMA

850 MHz AMPS

1900 MHz CDMA

#### Dates

This handset model was offered from: 08/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 8: Kyocera Echo

#### Handset Maker

Kyocera

#### Handset Model Name

Echo

#### FCC ID

V65M9300

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Advanced

**Remarks**

---

**Handset 9: Kyocera S1310****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

S1310

OVF-K33BIC06, OVF-K33BIC04

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 10/14

**Ratings**



M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 10: LG 125

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

125

BEJLX125

VI125

BEJLX125

#### Air Interfaces/Frequency Bands

850 MHz CDMA

850 MHz AMPS

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

## Handset 11: LG 145

### Handset Maker

LG

### Handset Model Name

### FCC ID

145	BEJLG200C
200C	BEJLG200C
Aloha	BELG200C
AX-140	BEJLG200C
AX145	BEJLG200C
UX-140	BEJLG200C

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 09/14 to 10/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Basic

### Remarks

## Handset 12: LG 160

### Handset Maker

LG

### Handset Model Name

### FCC ID

160	BEJLX160, BEJLX165
Flare	BEJLX160
LX160	BEJLX160

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 06/14 to 11/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 13: LG 225

#### Handset Maker

LG

#### Handset Model Name

225

#### FCC ID

BEJLX125

#### Air Interfaces/Frequency Bands

850 MHz CDMA

850 MHz AMPS

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 12/14

#### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

## Handset 14: LG 260

### Handset Maker

LG

### Handset Model Name

### FCC ID

260	BEJLX260
Rumor	BEJLX260
Scoop	BEJLX260
UX260	BEJLX260

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Middle

### Remarks

## Handset 15: LG 350

### Handset Maker

LG

### Handset Model Name

### FCC ID

350	BEJLX350
LX350	BEJLX350

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz AMPS  
1900 MHz CDMA

### Dates

This handset model was offered from: 06/14 to 10/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 16: LG 5400

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

5400	BEJLX5400
5400A	BEJLX5400
VI5225	BEJLX5400

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 10/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

## Handset 17: LG 670

### Handset Maker

LG

### Handset Model Name

### FCC ID

670	BEJLS670, BEJVM670
OPTIMUS S	BEJLS670, BEJVM670
OPTIMUS U	BEJLS670, BEJVM670
Optimus V	BEJLS670, BEJVM670

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4

### Remarks

## Handset 18: LG 855

### Handset Maker

LG

### Handset Model Name

### FCC ID

855	BEJLS855
Ignite	BEJLS855
Marquee	BEJLS855

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 19: LG IMPRINT

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

IMPRINT

BEJLN240, BEJMN240

LG Remarq

BEJLN240, BEJMN240

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 09/14

#### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

N/A

#### Remarks

---

### Handset 20: LG LOTUS

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LOTUS	BEJLX610
Lotus Elite	BEJLX610
Mystique	BEJLX610

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 09/14

#### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 21: LG 290c

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

290c	BEJLX295
LX290	BEJLX295

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 09/14

#### Ratings



M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 22: LG LX400

#### Handset Maker

LG

#### Handset Model Name

LX400

#### FCC ID

BEJLX400

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 09/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 23: LG AX565

#### Handset Maker

LG

#### Handset Model Name

AX565

#### FCC ID

BEJLX570

MUZIQ  
UX565

BEJLX570  
BEJLX570

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 01/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 24: LG PM325

#### Handset Maker

LG

#### Handset Model Name

PM325

#### FCC ID

BEJLX325

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz AMPS  
1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 09/14

#### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 25: LG Viper

#### Handset Maker

LG

#### Handset Model Name

Viper

#### FCC ID

ZNFLS840

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA  
1900 MHz LTE

#### Dates

This handset model was offered from: 12/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

## Handset 26: Motorola 385

### Handset Maker

Motorola

### Handset Model Name

385

### FCC ID

IHDT56HC1

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 06/14 to 08/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Basic

### Remarks

## Handset 27: Motorola K1m

### Handset Maker

Motorola

### Handset Model Name

K1m

KRZR K1m

### FCC ID

IHDT56GH1

IHDT56GH1

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 03/14 to 04/14

### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 28: Motorola Q

#### Handset Maker

Motorola

#### Handset Model Name

Q

#### FCC ID

IHDT56FQ1

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 03/14 to 04/14

#### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 29: Motorola V3m

#### Handset Maker

Motorola

#### Handset Model Name

V3m

#### FCC ID

IHDT56FT1

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks**

---

**Handset 30: Motorola Triumph****Handset Maker**

Motorola

**Handset Model Name****FCC ID**

Triumph  
WX435

IHDT56MS1  
IHDT56MS1

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 05/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 31: PCD CHASER

#### Handset Maker

PCD

#### Handset Model Name

CHASER

#### FCC ID

U46-WI921

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 04/14 to 12/14

#### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 32: Samsung 370

#### Handset Maker

Samsung

#### Handset Model Name

370

#### FCC ID

A3LSPHM370

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 01/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

### Handset 33: Samsung 720

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

720

A3LSPHL720

Galaxy S4

A3LSPHL720

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz WCDMA  
900 MHz WCDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
750 MHz LTE

#### Dates

This handset model was offered from: 01/14 to 12/14

#### Ratings



M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 34: Samsung A660

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

A660	A3LSPHA660
SPH-A660	A3LSPHA660
VI660	A3LSPHA660

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz AMPS  
1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 10/14

#### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

## Handset 35: Samsung EPIC 4G TOUCH

### Handset Maker

Samsung

### Handset Model Name

EPIC 4G TOUCH  
Galaxy S II

### FCC ID

A3LSHPHD710, A3LSCHR760  
A3LSPHD710, A3LSCHR760

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA  
2.5 GHz WiMax

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Advanced

### Remarks

## Handset 36: Samsung M300

### Handset Maker

Samsung

### Handset Model Name

M300

### FCC ID

A3LSPHM300

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz AMPS  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 10/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 37: Samsung M330

#### Handset Maker

Samsung

#### Handset Model Name

M330

#### FCC ID

A3LSPHM330

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 07/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 38: Samsung M350

#### Handset Maker

Samsung

#### Handset Model Name

M350

Seek

#### FCC ID

A3LSPHM350

A3LSPHM350

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 10/14

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks****Handset 39: Samsung M380****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

M380	A3LSPHM380
Trender	A3LSPHM380

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 40: Samsung M520

#### Handset Maker

Samsung

#### Handset Model Name

M520

#### FCC ID

A3LSPHM520

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 41: Samsung M540

#### Handset Maker

Samsung

#### Handset Model Name

M540

Rant

#### FCC ID

A3LSPHM540

A3LSPHM540

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks****Handset 42: Samsung Exclaim****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Exclaim	A3LSPHM550
M550	A3LSPHM550

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 43: Samsung M560

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

M560

A3LSPHM560

RECLAIM M560

A3LSPHM560

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 02/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 44: Samsung M580

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

M580

A3LSPHM580

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Advanced

**Remarks**

---

**Handset 45: Samsung Instinct M800****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Instinct M800	A3LSPHM800
M800	A3LSPHM800

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**



M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 46: Samsung Instinct s30

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

Instinct s30  
M810

A3LSPHM810  
A3LSPHM810

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 03/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 47: Samsung M900

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

M900

A3LSPHM900

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Advanced

**Remarks**

---

**Handset 48: Samsung Intercept****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Intercept	A3LSPHM910
M910	A3LSPHM910

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 49: Samsung M930

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

M930

A3LSPHM930

Transform Ultra

A3LSPHM930

#### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

## Handset 50: Samsung Note 3

### Handset Maker

Samsung

### Handset Model Name

Note 3

### FCC ID

A3LSMN900V, A3LSMN900P, A3LSMN900R4

### Air Interfaces/Frequency Bands

850 MHz CDMA  
850 MHz WCDMA  
900 MHz WCDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
750 MHz LTE

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Advanced

### Remarks

## Handset 51: Samsung P1000

### Handset Maker

Samsung

### Handset Model Name

P1000

### FCC ID

2ADBRE1200

### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM

### Dates

This handset model was offered from: 11/14 to 12/14

### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Middle

### Remarks

---

## Handset 52: Samsung PRECEDENT

### Handset Maker

Samsung

### Handset Model Name

### FCC ID

PRECEDENT

A3LSPHM820

Prevail

A3LSPHM820

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Advanced

### Remarks

---

## Handset 53: Samsung SPH-A600

### Handset Maker

Samsung

### Handset Model Name

SPH-A600

### FCC ID

2ADBRK968

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz CDMA

### Dates

This handset model was offered from: 11/14 to 12/14

### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Basic

### Remarks

## Handset 54: Sanyo 8600

### Handset Maker

Sanyo

### Handset Model Name

8600

Zio by Kyocera

### FCC ID

V65M6000, V65SCP-8600

V65M6000, V65SCP-8600

### Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

N/A

#### Remarks

---

### Handset 55: Sanyo INCOGNITO

#### Handset Maker

Sanyo

#### Handset Model Name

#### FCC ID

INCOGNITO

V65SCP-6760

SCP-6760 (Incognito)

V65SCP-6760

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 56: Sanyo Katana DLX

#### Handset Maker

Sanyo

#### Handset Model Name

#### FCC ID

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 09/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks**

---

**Handset 57: Sanyo KATANA ECLIPSE****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

KATANA ECLIPSE

JOYSCP-6750

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 10/14

**Ratings**



M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 58: Sanyo Katana LX

#### Handset Maker

Sanyo

#### Handset Model Name

Katana LX

#### FCC ID

AEZSCP-3800

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/14 to 08/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 59: Sanyo MM-7500

#### Handset Maker

Sanyo

#### Handset Model Name

MM-7500

#### FCC ID

AEZSCP-75H

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 12/14

**Ratings**

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks****Handset 60: Sanyo MM-8300****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

MM-8300

AEZSCP-83H

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz AMPS  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 07/14

**Ratings**

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 61: Sanyo PM-8200

#### Handset Maker

Sanyo

#### Handset Model Name

#### FCC ID

PM-8200

AEZSCP-82H

SCP-8200

AEZSCP-82H

#### Air Interfaces/Frequency Bands

850 MHz CDMA

850 MHz AMPS

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 10/14

#### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

## Handset 62: Sanyo Pro 200

### Handset Maker

Sanyo

### Handset Model Name

Pro 200

### FCC ID

AEZSCP-PRO200

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 06/14 to 07/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Middle

### Remarks

---

## Handset 63: Sanyo Pro 700

### Handset Maker

Sanyo

### Handset Model Name

Pro 700

### FCC ID

AEZSCP-PRO700

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 06/14 to 07/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 64: Sanyo S1

#### Handset Maker

Sanyo

#### Handset Model Name

S1

#### FCC ID

AEZSCP-25H

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 10/14

#### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 65: Sanyo SCP-2400

#### Handset Maker

Sanyo

#### Handset Model Name

SCP-2400

#### FCC ID

AEZSCP-24H

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 10/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks**

---

**Handset 66: Sanyo SCP-2700 (Juno)****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

SCP-2700 (Juno)

V65SCP-27H

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 10/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Middle

#### Remarks

---

### Handset 67: Sanyo SCP-3100

#### Handset Maker

Sanyo

#### Handset Model Name

SCP-3100

#### FCC ID

AEZSCP-31H

#### Air Interfaces/Frequency Bands

850 MHz CDMA

850 MHz AMPS

1900 MHz CDMA

#### Dates

This handset model was offered from: 02/14 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 68: Sanyo Mirro

#### Handset Maker

Sanyo

#### Handset Model Name

Mirro

#### FCC ID

V65SCP-3810

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks**

---

**Handset 69: Sanyo RL-2500****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

RL-2500	AEZSCP-54H
SCP-5400	AEZSCP-54H

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
850 MHz AMPS  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 10/14

**Ratings**



M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 70: Sanyo SCP-7000

#### Handset Maker

Sanyo

#### Handset Model Name

SCP-7000

#### FCC ID

AEZSCP-70H

#### Air Interfaces/Frequency Bands

850 MHz CDMA

850 MHz AMPS

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/14 to 10/14

#### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 71: Sanyo SCP-8400

#### Handset Maker

Sanyo

#### Handset Model Name

SCP-8400

#### FCC ID

AEZSCP-84H

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 12/14

**Ratings**

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Middle

**Remarks**

---

**Handset 72: Sanyo Vero****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

Vero

V65SCP-3820

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 09/14

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Basic

### Remarks

---

## Certification

### This Report has been certified by:

Melanie King Director, Regulatory Affairs  
01/15/2015 07:12 PM